



Talent & Tradition

*The Hercules Plus*



The *Hercules Plus* product converts Dial Up and IP ATMs to wireless cellular. The DPL Group provides a plug and play solution with cellular service provided on a month to month basis with no long term contracts. This unit allows truly Extended, 2 Way Service with the ISO fully able to utilize the ATM manufactures' management software from any office PC.



## ***Hercules Plus Product Functionality***

- IP to Wireless Communications.
- Dial to Wireless Communications.
- Eliminate telephone line installation delays.
- No initialization fees.
- No configuration fees.

## ***Hercules Plus Generated Cost Decreases***

- Eliminate expensive phone line costs.
- Eliminate long distance transaction charges.
- No activation fees.

## ***Hercules Plus Generated Benefits***

- No per Mbyte charges.
- Decreased transaction time.
- Enables use of ATM Manufacturer's Software to remotely manage your ATM transactions.
- No long term contracts required, month to month service.
- No static IP required.
- Immediate ATM Deployment.

## ***Hercules Plus Generated Security***

- Triple DES secure communications.
- Free communication failure alerts via Text to Cell and Email.
- Optional AC Disconnect Modules available (see below).
- Optional Anti-Theft Modules available (see below).
- Optional Alarm Module available (see below).



### **Security Monitoring 24/7 (with optional Anti-Theft Kit)**

With this optional kit, Hercules watches your ATM constantly and sends security alerts via cell phone data message and e-mail to you and/or whoever else you designate immediately, on the following conditions:

1. Power Disconnected
2. Machine Tilted
3. Door Opened

### **AC Disconnect Module**

ATMs require occasional resetting, but what happens if you have a unit in a remote location, miles away and inconvenient for you to do so? This optional accessory will allow you to reset your ATM machine remotely merely by sending a signal through the DPL Wireless website to your Hercules unit to reboot the ATM saving both your valuable time and money.

### **Specifications:**

Dial in Interface:	V22
Dial in Connector:	RJ-11
Dial in Speed:	1200, 2400, 9600, 14,400bps
LED Indicators:	Power, Ant, Link
Network Service:	GSM/GPS
Power:	115 VAC, 60Hz to 12VDC, 2A Power Adapter is included
Dimensions (h x w x d):	5.7" x 4.8" x 1.9"
Weight:	1.5 lbs
Warranty:	Two Years